A REVOLUTIONARY 3-WIRE SEQUENCE

SAGITTALFIRST

Integral to the **SAGITTAL FIRST**™ Treatment Philosophy is the use of the *Carriere Moτιοn 3D*™ Appliance to correct AP discrepancies and stimulate initial tooth movement.

This fosters easier transitions into larger wires earlier in treatment, less time in braces, and shorter overall treatment times.

M-SERIES WIRES

Introducing the All-New Carriere M-Series™ Wires, including .015 Cu™ Nitanium® Wire and the innovative 3-Wire Sequence. **M-Series Wires** are designed to:

- Enable a simplified wire progression protocol
- Reduce the number of wires used
- Finish cases in about 12 months

MOTION 3D APPLIANCE



METAL BRACKET SYSTEMS - M-SERIES WIRE SEQUENCE



| | | WIRE NAME | DESCRIPTION | OBJECTIVE | TIME IN TREATMENT | NUMBER OF APPTS. (5-6 WEEK INTERVALS) | ITEM NUMBER |
|---|---|-----------|---|---|--|--|----------------|
|) | 1 | M-ONE | .015 <i>Cu Nitanium</i> 27° with <i>EZ Stops</i> ™ Delivery System | Begin leveling, aligning, and rotations | 5-6 weeks | 1 appointment | 103-M1 |
| | 2 | M-TWO | .020 × .020 <i>Cu Nitanium</i> 35° with <i>EZ Stops</i> Delivery System | Complete leveling, aligning, and elimination of rotations. Arch development is initiated, 3 dimensional control of wire will begin initial torque control | 6-18 weeks, based on complexity and clinical judgement | 2-3 appointments | 103-M2 |
| _ | 3 | M-THREE | .019 × .025 Beta Titanium | Detailing and finishing | 8-12 weeks | 2-3 appointments | 103-M3B |

CERAMIC BRACKET SYSTEMS - M-SERIES WIRE SEQUENCE

Follow the 3-Wire Sequence and add the wire below prior to using the M-THREE.

| WIRE NAME DESCRIPTION | | OBJECTIVE | TIME IN TREATMENT | NUMBER OF APPTS. (5-6 WEEK INTERVALS) | ITEM NUMBER |
|-----------------------|---|---|----------------------|--|----------------|
| M-TWO.FIVE | .019 × .025 <i>Cu Nitanium</i> 35° with <i>EZ Stops</i> Delivery System | For final bracket alignment prior to M-THREE BETA wire with ceramic brackets | 3-4 weeks | 1 appointment | 103-M2.5 |

OPTIONAL WIRES

| WIRE NAM | AME DESCRIPTION | | OBJECTIVE | TIME IN TREATMENT | NUMBER OF APPTS. (5-6 WEEK INTERVALS) | ITEM NUMBER |
|----------|-----------------|--|--|----------------------|--|----------------|
| M-ONE.FI | VE | .018 <i>Cu Nitanium</i> 27° with <i>EZ Stops</i> Delivery System | Used in a small number of cases for stubborn rotations prior to placing M-TWO wire | 4-6 weeks | 1-2 appointments | 103-M.5 |
| M-THREE | STEEL | .019 × .025 Stainless Steel | Surgical stabilization wire placed prior to surgery and/or to complete expansion in stubborn cases; used instead of M-THREE BETA | 8-12 weeks | 2-3 appointments | 103-M3S |

THE SAGITTAL FIRST REVOLUTION

Simplify & shorten treatment with predictable results.

The **SAGITTAL FIRST Philosophy** is a ground-breaking approach that simplifies and shortens Class II and Class III treatments. It employs the **Motion 3D Appliance** to treat the AP dimension at the beginning of treatment before placing brackets or aligners. By resolving the most difficult part of treatment first, you can achieve a Class I platform in 3 to 6 months, shortening total treatment time by a minimum of 6 months. You know how excited patients and parents become when you mention shorter treatment times!

PREDICTABLE

MOTION 3D Class II Appliance

INNOVATIVE

SLX 3D Bracket System

ATTACH-LESS

SLX Clear Aligners





For more information on our products and educational offerings, please contact us:

HenryScheinOrtho.com

Customer Service: **888.851.0533** | In the U.S.: **800.547.2000**Outside the U.S.: +(1) **760.448.8600** | Canada: **CERUM 800.661.9567**

To email an order: USASales@HenryScheinOrtho.com

To email an order from outside the U.S.: **HSOintOrders@HenryScheinOrtho.com**

Ortho Organizers, Inc. 1822 Aston Ave. Carlsbad, CA 92008-7306 USA © 2020 Ortho Organizers, Inc. All rights reserved. PN 999-345 Rev. A 02/20. US Patent 10,085,824





The New Movement In Orthodontics™



CARRIERE® SLX®3D



Designed for you, your staff & your patients with no compromises.



The New Movement In Orthodontics™

CARRIERE® SLX®3D





DO THE TWIST

With a feather touch and slight twist of the instrument, the slide is propelled to the open and locked position.



COVER IT UP

Full M/D slot coverage provides unmatched rotational control, to help ensure that you finish faster.



FEEL THIS

The smoothest brackets we've ever made. Incredibly comfortable.

UNMATCHED CLINICAL CONTROL

The Complete Carriere SLX 3D Self-Ligating Bracket System

The dedication to practice efficiencies and to advancing the state-of-the-art patient care will be evident when you experience the beauty, comfort, and extraordinary performance of the *Carriere® SLX® 3D* System.



Don't bend wire, like a pro

With proven and precise torque values, in/out thicknesses and slot depths, the *SLX 3D* Bracket is designed to ensure less wire bending so you can spend more time doing anything but wire bending.



MEDIUM Bicuspids

NARROW

Lower & upper laterals

One size doesn't fit all

The **SLX 3D Bracket System** has narrow brackets for narrow teeth, and wide brackets for wide teeth - because size matters when it comes to rapidly securing rotational control and ideal tooth positioning.



Mushroom shaped pylons for secure retention



Guard rails aren't just for highways

Our exclusive Adhesive *Guard Rail*[™] **Technology** (AGR) directs excess adhesive to the sides for fast, easy clean up.





Easy on, easy off

Our compound contour bases are designed to "fit like a glove," while the beveled base edges aid in quick and clean removal.





Just do the twist

changes, JUST DO THE TWIST!

Our proprietary new *EZ Twist*® feature brings a new level of staff joy and patient comfort to your practice. For fast, comfortable wire

NEW EZ Twist Tool
NOW AVAILABLE

SELF-LIGATING
Buccal Tubes



A complete self-ligating system

SLX 3D Self-Ligating Buccal Tubes incorporates all of the amazing features of **SLX 3D Brackets**, including HSO's first **clear ceramic upper first molars!**

EZ INVENTORY CONTROL

| | | | | | | | | Six 30 | | 12 |
|------------------------|-------------|------------|----------|--------|-----|--------------|----------------|----------------|---------------|---------------|
| MAXILLARY | | | | | | | SLX 3D Metal | | SLX 3D Clear | |
| | Description | Color-Code | Tooth# | Torque | Ang | Antirotation | .022 R | .022 L | .022 R | .022 L |
| OFNITRAL C | _ | BLACK | U1 | +17° | +5° | 0° | 777-UR1H-10 | 777-UL1H-10 | 776-UR1H-5 | 776-UL1H-5 |
| CENTRALS | _ | BLACK | U1 | +12° | +5° | 0° | 777-UR1-10 | 777-UL1-10 | 776-UR1-5 | 776-UL1-5 |
| | _ | PINK | U2 | +12° | +8° | 0° | 777-UR2H-10 | 777-UL2H-10 | 776-UR2H-5 | 776-UL2H-5 |
| LATERALS | _ | PINK | U2 | +8° | +8° | 0° | 777-UR2-10 | 777-UL2-10 | 776-UR2-5 | 776-UL2-5 |
| | Hook | GREEN | U3 | +7° | +9° | 0° | 777-UR3H-HK-10 | 777-UL3H-HK-10 | 776-UR3H-HK-5 | 776-UL3H-HK-5 |
| CUSPIDS | Hook | GREEN | U3 | 0° | +9° | 0° | 777-UR3-HK-10 | 777-UL3-HK-10 | 776-UR3-HK-5 | 776-UL3-HK-5 |
| | _ | PURPLE | U4 & 5's | -7° | 0° | 0° | 777-U45-10 | 777-U45-10 | 776-U45-5 | 776-U45-5 |
| BICUSPIDS | Hook | PURPLE | U4 & 5's | -7° | 0° | 0° | 777-UR45-HK-10 | 777-UL45-HK-10 | 776-UR45-HK-5 | 776-UL45-HK-5 |
| 1 ST MOLARS | _ | WHITE | U6's | -14° | 0° | 12°DO | 977-UR6-HK-10 | 977-UL6-HK-10 | 976-UR6-5 | 976-UL6-5 |
| 2 ND MOLARS | _ | GREY | U7's | -14° | 0° | 10°DO | 977-UR7-HK-10 | 977-UL7-HK-10 | _ | _ |
| | | | | | | | | | | |

| MANDIBULAR | | | | | | | SLX 3D Metal | | SLX 3D Clear | |
|---------------------------|-------------|------------|--------|--------|-----|--------------|----------------|----------------|---------------|---------------|
| | Description | Color-Code | Tooth# | Torque | Ang | Antirotation | .022 R | .022 L | .022 R | .022 L |
| ANTERIORS | _ | YELLOW | L1&2's | -1° | 0° | 0° | 777-L12-10 | 777-L12-10 | 776-L12-5 | 776-L12-5 |
| ANTERIORS | _ | YELLOW | L1&2's | -6° | 0° | 0° | 777-L12L-10 | 777-L12L-10 | 776-L12L-5 | 776-L12L-5 |
| CHEDIDE | Hook | BLUE | L3 | 0° | +5° | 0° | 777-LR3-HK-10 | 777-LL3-HK-10 | 776-LR3-HK-5 | 776-LL3-HK-5 |
| CUSPIDS | Hook | BLUE | L3 | -6° | +5° | 0° | 777-LR3L-HK-10 | 777-LL3L-HK-10 | 776-LR3L-HK-5 | 776-LL3L-HK-5 |
| 1 ST BICUSPIDS | _ | GREY | L4 | -12° | +2° | 0° | 777-LR4-10 | 777-LL4-10 | 776-LR4-5 | 776-LL4-5 |
| 1 BICUSPIDS | Hook | GREY | L4 | -12° | +2° | 0° | 777-LR4-HK-10 | 777-LL4-HK-10 | 776-LR4-HK-5 | 776-LL4-HK-5 |
| OND DICHEDIDE | _ | RED | L5 | -17° | +2° | 0° | 777-LR5-10 | 777-LL5-10 | 776-LR5-5 | 776-LL5-5 |
| 2 ND BICUSPIDS | Hook | RED | L5 | -17° | +2° | 0° | 777-LR5-HK-10 | 777-LL5-HK-10 | 776-LR5-HK-5 | 776-LL5-HK-5 |
| 1 ST MOLARS | Hook | WHITE | L6's | -25° | 0° | 2°DO | 977-LR6-HK-10 | 977-LL6-HK-10 | _ | _ |
| 2 ND MOLARS | Hook | YELLOW | L7's | -10° | 0° | 0° | 977-LR7-HK-10 | 977-LL7-HK-10 | _ | _ |

| CARRIERE KI | TS (Call for availability) | | SLX 3D Metal | SLX 3D Clear | |
|-------------|--|-------------|----------------|-------------------|-------------------|
| Rx | Description | QTY of sets | Total brackets | Item numbers .022 | Item numbers .022 |
| | U/L 5×5 kit with hooks on 3's | 1 | 20 | 777-KIT-HK | 776-KIT-HK |
| CTD TODOUE | U/L 5×5 kit with hooks on 3's, 4's, 5's | 1 | 20 | 777-KIT-HKS | 776-KIT-HKS |
| STD TORQUE | U/L 6×6 kit with hooks on 3's & 6's | 1 | 24 | 777-KIT6-HK | 776-KIT6-HK |
| | U/L 6×6 kit with hooks on 3's, 4's, 5's, 6's | 1 | 24 | 777-KIT6-HKS | 776-KIT6-HKS |

| ACCESSORIES | ITEM NUMBER |
|-----------------------------------|-------------|
| SLX 3D Typodont | 631-777 |
| SLX 3D Clear Typodont | 631-776 |
| SLX 3D EZ Twist Opener | 201-510 |
| PATIENT EDUCATION | |
| SLX 3D Patient Education Brochure | 999-348 |







SLX 3D Clear Typodont

SLX 3D Typodont